



0086-CPR-595350



Leiths (Scotland) Ltd
New Forres Quarry, Rafford, Forres. IV36 0RQ
Telephone: 01309 671188
Fax: 01309 671199

13

Certificate No.: NFQ-B110

BS EN 13108 – 1

Asphalt Concrete for roads and other trafficked areas
B110 AC 20 dense bin 160/220 rec - New Forres Asphalt Plant

General requirements

| | | |
|----------------------------|---------------------|------------------|
| Temperature of the mixture | | 110 °C to 170 °C |
| Grading (passing) | 31,5 mm test sieve | 100 % |
| | 20 mm test sieve | 99 % |
| | 14 mm test sieve | 81 % |
| | 6,3 mm test sieve | 50 % |
| | 2 mm test sieve | 30 % |
| | 0,250 mm test sieve | 12 % |
| | 0,063 mm test sieve | 7,0 % |
| Binder content | | 4,6 (4,6%) |

Leiths (Scotland) Ltd confirms that the asphalt concrete referred to in this certificate complies with the requirements of BS EN 13108 – 1, including Annex ZA

Authorised by:

N. Anderson. Group Technical Director

| | |
|---------------------------|-----------------|
| Date Valid from | 01/03/2013 |
| Date Valid to | Currently Valid |
| Date of Certificate Issue | 25 June 2013 |